

## FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15  
D-71711 Steinheim/Murr  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Floor and wall finishing

### WST 700 VV Vario

Order no. 350.311



#### Giraffe® wall and ceiling sander

- VV electronic control: controlled constant speed, soft-start, overload protection and speed selection with adjuster wheel
- Using a unique telescopic system, the Giraffe® adapts to your needs. Length adjustable from 1330 mm - 1730 mm. Open telescope lock lever, pull out handle and close lever.
- Ergonomic design with many different handling possibilities for fatigue-free working. The motor is always kept between the gripping positions, ensuring a perfect balance.
- With round sanding head that can be exchanged with just a click
- Backing pad with hook and loop face
- Vacuum cleaning system: guard with a brush ring, flexible suction hose from the sanding head to the guide tube. Connection facility at the rear of the telescopic tube for FLEX industrial vacuum cleaner, models S 36, S 47 and S 47 M
- The articulating sanding head can be adjusted to every tilt and angle.
- Ideally suited for sanding plaster boards, solid Styropor insulation slabs, preparation for painting, polishing.

Technical attributes	WST 700 VV Vario
Power input	710 watt
Power output	420 watt
Speed without load	1000-1500 rpm
Dimensions in mm	1330-1730
Weight	4,80 kg

Standard equipment	
Round sanding head	350.346
Velcro sand paper, grit 60	1 item from 348.503
Velcro sand paper, grit 80	1 item from 348.511
Velcro sand paper, grit 100	1 item from 348.538
Velcro sand paper, grit 220	1 item from 348.546
4 m vacuum hose, 32 mm Ø with positive-lock connector and vac connection	340.782
Padded carry case	1 piece

## FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15  
D-71711 Steinheim/Murr  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Floor and wall finishing

### Accessories

#### Backing pad Ø 225, round



Hard backing pad with high removal rate, with use with hook and loop backed abrasives

**QTY/PKG:**    **Order no.**

**1**            **350.362**



Soft backing pad with high removal rate, with use with hook and loop backed abrasives.

**Order no.**

**352.306**


## FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15  
D-71711 Steinheim/Murr  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX


## Floor and wall finishing

### Hook and loop abrasive paper, Select, round




For grinding joint filler in drywall construction, punched for suction and dust extraction

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 60	25	348.503
225Ø	grit 80	25	348.511
225 Ø	grit 100	25	348.538
225 Ø	grit 120	25	349.216
225 Ø	grit 150	25	349.224
225 Ø	grit 220	25	348.546
225 Ø	grit 180	25	349.232
225 Ø	grit 40	25	350.087



For grinding joint filler in drywall construction, punched for suction and dust extraction

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 60	25	348.503
225Ø	grit 80	25	348.511
225 Ø	grit 100	25	348.538
225 Ø	grit 120	25	349.216
225 Ø	grit 150	25	349.224
225 Ø	grit 220	25	348.546
225 Ø	grit 180	25	349.232
225 Ø	grit 40	25	350.087



For grinding joint filler in drywall construction, punched for dust extraction.

**FLEX Elektrowerkzeuge GmbH**

Bahnhofstrasse 15  
D-71711 Steinheim/Murr  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

**FLEX**

## Floor and wall finishing

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 16	10	350.079

### Triangular sanding head



Ideal for sanding corners and edges. The orbital movement of the sanding head takes the abrasive right up to the edges.

QTY/PKG:	Order no.
1	350.354

### Round sanding head



Optimally suitable for finishing large surfaces on walls and ceilings. Effective dust extraction, high surface removal rate.

QTY/PKG:	Order no.
1	350.346